

Price List - 2025 Toxicology Testing Services

Acute Toxicology Studies - GLP

Acute Oral Toxicity - Up & Down Procedure (UDP) – OCSPP 870.1100 / OECD TG 425

| | |
|------------------------------|--------|
| Limit Test 3 to 5 rats | \$2700 |
| Each additional rat | \$560 |

Acute Oral Toxic Class Determination

– OECD TG 423

| | |
|---------------------------------------|--------|
| Standard study – 6 rats | \$2800 |
| Each additional group of 3 rats | \$950 |

Acute Dermal Toxicity/LD₅₀ in Rats

– OCSPP 870.1200

| | |
|---|--------|
| Limit Test: (5M + 5F) | \$2600 |
| LD ₅₀ : Each additional dose level of 5 animals .. | \$1950 |

Acute Dermal Toxicity (Fixed-Dose Procedure)

– OECD TG 402

| | |
|---------------------------|--------|
| 3 rats | \$2300 |
| Each additional rat | \$550 |

Acute Dermal Irritation and Corrosion

– OCSPP 870.2500 / OECD TG 404

| | |
|--|--------|
| 1 rabbit corrosion test | \$1375 |
| 3 rabbits – 3 days | \$2380 |
| (Pricing is for 3 days, each additional day is \$95) | |

Acute Eye Irritation/Corrosion – OCSPP 870.2400

| | |
|--|--------|
| 1 rabbit – 3 days | \$1915 |
| 3 rabbits – 3 days | \$2515 |
| (Pricing is for 3 days, each additional day is \$95) | |

Dermal Sensitization – Buehler Method

– OCSPP 870.2600 / OECD TG 406

| | |
|---|---------|
| 20 test, 10 naïve, and 4 screen animals | \$14100 |
| Each rechallenge | \$2100 |

Guinea Pig Maximization Test (GPMT)

– OECD TG 406

| | |
|---|---------|
| 20 test, 10 naïve, and 6 screen animals | \$17400 |
| Each rechallenge | \$3500 |

Local Lymph Node Assay – OECD TG 442B

| | |
|---|--------|
| 1 Test Article | \$9700 |
| 2+ Test Articles (tested in parallel ¹) | \$9100 |
| Each additional group (test or control) | \$2500 |
| Quantitative Irritation Test – (6 dose QIT) | \$2200 |

Custom Protocols available

Flow Cytometry / Biomarkers

Immunophenotyping / ELISA

ISO 10993 and FDA studies

In Vitro Regulatory Studies - GLP

Bovine Corneal Opacity & Permeability (BCOP) – OECD TG 437

| | |
|--|--------|
| 1 Test Article | \$2900 |
| 2 Test Articles (tested in parallel) ¹ | \$2400 |
| 3+ Test Articles (tested in parallel) ¹ | \$1800 |

EpiOcular™ Eye Irritation Test (EIT)

– OECD TG 492

| | |
|--|--------|
| 1 Test Article | \$3520 |
| 3+ Test Articles (tested in parallel) ¹ | \$1760 |

Corrositex® – OECD TG 435

| | |
|---|--------|
| 1 Test Article | \$1500 |
| 2 to 5 Test Articles (tested in parallel ¹) | \$1200 |
| 6+ Test Articles (tested in parallel ¹) | \$1000 |

EpiDerm™ Skin Corrosion Test (SCT)

– OECD TG 431

| | |
|---|--------|
| 1 Test Article | \$3810 |
| 3+ Test Articles (tested in parallel ¹) | \$1905 |

EpiDerm™ Skin Irritation Test (SIT)

– OECD TG 439

| | |
|---|--------|
| 1 Test Article | \$4280 |
| 3+ Test Articles (tested in parallel ¹) | \$2140 |

Ames Bacterial Reverse Mutation Assay

– OECD TG 471

| | |
|--|--------|
| Cytotoxicity Screen and Main Test (5 Strains) .. | \$8300 |
| Confirmatory Assay – 5 Strains | \$6300 |
| Confirmatory Assay – 2 Strains | \$4100 |

3T3 Neutral Red Uptake Phototoxicity Test

– OECD TG 432

| | |
|---|--------|
| 1 Test Article | \$5600 |
| 2+ Test Articles (tested in parallel ¹) | \$4200 |
| UV-Vis Absorption Spectrum | \$1200 |

Human Cell Line Activation Test (h-CLAT)

– OECD TG 442E

| | |
|---|--------|
| 1 Test Article | \$9400 |
| 3+ Test Articles (tested in parallel ¹) | \$8400 |

KeratinoSens – OECD TG 442D

| | |
|--|--------|
| 1 Test Article ² (Call for GLP) | \$7400 |
| 3+ Test Articles ² (tested in parallel ¹) | \$6800 |

Discover more testing capabilities:

mbresearch.com/FULL-LIST

Ask About **Medical Device Testing!**

mbresearch.com/BIOCOMPATIBILITY

¹Discounted prices are priced per test article. Additional discounts available. Multiple test articles tested in parallel must be under one project number with the results included in one report. | **NOTE:** Based on the use of MBRL's standard protocols, procedures, and report formats. The change from standard to customized protocols and/or report formats result in additional charges. ²Non-GLP study.